





COVER CROP CRIMPER

Suppress weeds. Minimize soil erosion. Maximize water retention. With a chevron-style blade pattern, the Mandako Cover Crop Crimper runs smoothly across the field while kicking up less dirt. The Crimper is built on the same frame design as our Landroller, so you know you are getting a heavy and tough machine. Using the Cover Crop Crimper can help you manage organic crops without the use of herbicides or tillage.



Landrollers



Unit Name	Cover Crop Crimper						
Unit Size	15'	20'	30'	34'	40'	42'	60'
Sections	Inline	Inline	3-Plex	3-Plex	3-Plex	3-Plex	3-Plex
Transport Length	22' 8"	26' 2"	33' 1"	35' 1"	38' 1"	39' 1"	48' 9"
Transport Width	7' 7"	7' 7"	11' 7"	11' 7"	11' 7"	11' 7"	13' 6"
Overall Width	16' 7"	21' 1"	33' 6"	37' 6"	43' 6"	45' 6"	63' 5"
Working Width	15' 7"	20' 1"	30'	34'	40'	42'	60'
Overall Height	5' 1"	5' 1"	6'	6'	6'	6'	7' 2"
Hyd. Req. (@2800 PSI)	5 GPM (19 LPM)						
Hyd. Req. (Ports)	2	2	4	4	4	4	4
Horsepower Req.	70+	80+	120+	136+	160+	168+	240+
Approx. Weight (lbs/ft)	600	525	530	507	495	488	450
Drum Size	36" x 1/2" Wall						
Tire Size	ST 235/80R16E 10 Ply						

Optional Upgrades

280/70/R15 Implement Tire Clevis Hitch Insert Mechanical Acre Counter Mud Scraper Kit

Mandako Agri Marketing (2010) Ltd. 12159B Hwy 306 Box 379 Plum Coulee, MB ROG 1R0

(888) 525-5892 www.mandako.com



Printed in Canada